

ISSUED: 28 July 2016

**SAFETY DATA SHEET****Section 1: IDENTIFICATION of CHEMICAL PRODUCT and COMPANY**

**Product Name:** Flucort Domoso Roll-On Topical, Anti-Inflammatory, Analgesic Gel

**Product Code:** 61100 (100 g)

**Recommended Use:** Synthetic glucocorticoid gel for the topical treatment of acute musculoskeletal conditions where an anti-inflammatory analgesic effect is required.

**Restrictions on Use:** For animal treatment only.

**Company Identification:** Jurox Pty Limited

**Address:** 85 Gardiner Street,  
Rutherford, NSW 2320,  
Australia

**Email:** jenq@jurox.com.au

**Customer Centre:** 1800 023 312

**National Poisons Information Centre:** 13 1126 (Australia-wide)

**Emergency Telephone Number:** 1800 023 312 (9am – 5pm, Monday to Friday)

**Section 2: HAZARDS IDENTIFICATION**

**Hazard Classifications:** This product has been assessed according to GHS and is classified as follows:

GHS Category	Hazard code	Hazard Statement
Flammable Liquid Category 4	H227	Combustible liquid
Skin Corrosion/Irritation Category 2	H315	Causes skin irritation
Eye Irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)	H335	May cause respiratory irritation.

**Signal word:** WARNING

**GHS Pictograms:**



Flame Exclamation mark

**Precautionary statements:**Prevention

P210 Keep away from flames and hot surfaces. – No smoking.  
P261 Avoid breathing vapours.  
P264 Wash hands thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/eye protection/face protection.

Response

P370 + P378 In case of fire: Use water spray/fog for extinction.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312 Call a POISON CENTRE or doctor/physician if you feel unwell.

Storage

P403 + P235 Store in a well-ventilated place. Keep cool.  
P233 Keep container tightly closed.  
P405 Store locked up.

Disposal

P501 Dispose unused product and empty container by wrapping with paper and placing in garbage.

**Section 3: COMPOSITION / INFORMATION on INGREDIENTS**

INGREDIENT	CAS No.	CONTENT
Dimethyl sulfoxide	67-68-5	60 %
Flumethasone	2135-17-3	0.005 %
Ingredients not contributing to the hazards		~ 40 %

**Section 4: FIRST AID MEASURES**

**General Information:** Never give fluids or induce vomiting if a patient is unconscious or convulsing regardless of cause of injury. If medical advice/attention is needed, have this SDS, product container or label at hand.

**Symptoms and Effects of Exposure:** DMSO has very few toxic symptoms in humans. The most common are nausea, skin rashes and an unusual garlic-onion-oyster smell on the body and breath. Swallowing large quantities of DMSO may cause vomiting, diarrhoea, cramps, chills and drowsiness.

**Inhalation:** If fumes, aerosols or combustion products are inhaled remove from contaminated area. If respiratory symptoms occur, remove patient to fresh air. Lay patient down and keep warm and rested. If breathing is shallow or has stopped, ensure airway is clear and apply resuscitation. If breathing is difficult, give oxygen and seek medical assistance immediately.

**Ingestion:** If swallowed do NOT induce vomiting. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully.

**Skin:** If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

**Eye:** If eye contact occurs: Immediately flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing for at least 20 minutes. If eye irritation persists, get medical advice/attention.

**Recommended First Aid Facilities:** Ready access to running water and soap is required. Accessible eyewash is required.

**Advice to Doctor:** Contains Dimethyl Sulfoxide (DMSO) which has analgesic effects and may lead to rapid absorption of other toxic compounds. Contains flumethasone which is a glucocorticoid. Treat symptomatically.

## Section 5: FIRE FIGHTING MEASURES

**Flash Point:** No data for mixture. Flashpoint for DMSO is 87°C (closed cup).

**Hazardous Combustion Products:** If involved in a fire, may emit noxious and irritant fumes.

**Extinguishing Media:** There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.

**Protective Equipment:** Protective gloves and breathing apparatus.

**HAZCHEM Code:** None specified.

## Section 6: ACCIDENTAL RELEASE MEASURES

**Spills and Disposal:** Wear gloves and appropriate protective clothing. For small spills, clean up spilled product then wipe area and put empty container in garbage. For large spills, exclude non-essential people from the area. Prevent spillage from entering drains or water courses and call emergency services.

**Protective Clothing:** For appropriate personal protective equipment see section 8.

**Environmental Precautions:** Prevent from entering drains, waterways or sewers. If spill does enter waterways contact local authority.

## Section 7: HANDLING AND STORAGE

**Handling:** Handle this product to avoid exposure, taking all recommended precautions. Avoid contact with skin, eyes and inhalation of vapours. Use personal protective equipment as required. Do not eat, drink or smoke while handling product.

**Storage:** Keep out of reach of children. Store below 30°C (room temperature).

**Other Information:** Avoid contact with incompatible substances as listed in Section 10. Always read the label before use.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

This SDS describes personal protective measures relating to long term industrial and manufacturing exposure and emergency situations, such as accidents and spills. See product label for personal protective measures during normal use of the marketed product.

**Exposure Limits:** No exposure limits have been assigned for this product. Known exposure limits for ingredients are as follows:

INGREDIENT	TEEL-1	TEEL-2	TEEL-3
DMSO	250 ppm	250 ppm	900 ppm

**Engineering Controls:** Handle in a well ventilated area. Ensure that the work environment remains clean.

### Personal Protective Equipment (PPE):

Eye protection: Protective glasses or goggles are recommended when handling bulk quantities of this product.

Skin protection: When handling bulk product, prevent skin contact by wearing chemical protective gloves e.g. PVC.

Respiratory protection: Not required for the normal use of this product.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Clear, to hazy viscous liquid free from foreign matter	<b>Lower flammability limits:</b>	Not available
<b>Odour:</b>	Not available	<b>Vapour Pressure:</b>	Not available
<b>Odour threshold:</b>	Not available	<b>Vapour density:</b>	Not available
<b>pH:</b>	~ 4.0	<b>Relative density:</b>	Not applicable
<b>Melting Point:</b>	Not applicable	<b>Specific Gravity:</b>	1.075 – 1.085
<b>Boiling Point:</b>	Not available	<b>Solubility in Water:</b>	Insoluble
<b>Flash Point:</b>	87°C (closed cup) for DMSO	<b>Partition coefficient:</b>	Not available
<b>Evaporation Rate:</b>	Not available	<b>Auto-ignition temperature:</b>	Not available
<b>Flammability:</b>	Not flammable	<b>Decomposition temperature:</b>	Not available
<b>Upper flammability limits:</b>	Not available	<b>Viscosity:</b>	200 – 700 cps

## Section 10: STABILITY AND REACTIVITY

**Reactivity:** This product is unlikely to react or polymerise under normal storage conditions.

**Stability:** When stored appropriately this product should show no significant degradation within the expiry period shown on the label.

**Conditions to Avoid:** Extreme temperatures.

**Incompatible Materials:** Oxidising agents.

**Hazardous Decomposition Products:** No data available.

## Section 11: TOXICOLOGICAL INFORMATION

### Acute Toxicity:

**Ingestion:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be acutely toxic by the oral route.

DMSO: Oral LD<sub>50</sub>: 7920 mg/kg (mouse).

**Inhalation:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be acutely toxic by the inhalation route. Inhalation of DMSO can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhalation hazard is increased at higher temperatures. Inhalation of vapours of DMSO may cause cough or a burning sensation. High concentrations may cause nausea, vomiting, chills, cramps, headache, dizziness, tiredness, and allergic reactions. Very high doses may be lethal. Repeated exposure may cause liver damage and inflammation of the airway and lung.

**Dermal:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be acutely toxic by the dermal route.

DMSO: Dermal LD<sub>50</sub>: 50,000 mg/kg (mouse).

**Skin Corrosion / Irritation:** No data for the mixture is available. Based on available data for the ingredients, the mixture is classified as **Skin Corrosion/Irritation Category 2**. The material may cause mild but significant inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering. Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Topical exposure to DMSO results in stinging sensation, skin burns, redness, itching, scaly rashes and blisters. DMSO is commonly used as a carrier for topical preparations of many chemicals including drugs. Contact with DMSO solutions containing toxic material or materials with unknown toxicology should be avoided, as DMSO easily penetrates the skin and may enhance the rate of skin absorption of other skin-permeable substances.

**Serious Eye Damage / Irritation:** No data for the mixture is available. Based on available data for the ingredients, the mixture is classified as **Eye Irritation Category 2A**. Direct contact with high concentrations of DMSO produces irritation with temporary stinging and burning. Lower concentrations do not appear to cause injury and are tolerated well. Application of its full strength to the eye may cause pain, moderate discharge, corneal injury and dilation of the conjunctival blood vessels with bleeding. These effects are reversed within 2 days.

**Respiratory or Skin Sensitisation:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be a skin sensitiser or respiratory sensitiser.

**Germ Cell Mutagenicity:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be mutagenic.

**Carcinogenicity:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be carcinogenic.

**Reproductive Toxicity:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be a reproductive toxicant.

**STOT: Single exposure:** No data for the mixture is available. Based on available data for the ingredients, the mixture is classified as **Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)**.

**STOT: Repeat exposure:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be a specific target organ toxicant after repeat exposure.

**Aspiration hazard:** Swallowing of DMSO may cause aspiration into the lungs with the risk of chemical pneumonitis; serious consequences may result.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** No data for the mixture is available. Based on available data for the ingredients, the mixture is not considered to be ecotoxic.

### Fish

DMSO: LC<sub>50</sub> (96h): 0.0034 mg/L;

Flumethasone: LC<sub>50</sub> (96h): 138.9 mg/L.

### Crustacea

DMSO: EC<sub>50</sub> (48h): 24,600 mg/L; NOEC (168h): 0.175 mg/L.

### Algae and other aquatic plants

DMSO: EC<sub>50</sub> (96h): 17.75 mg/L;

Flumethasone: EC<sub>50</sub> (96h): 176.0 mg/L, EC<sub>50</sub> (96h) 350.0 mg/L.

Ingredient	Persistence: Water/Soil	Persistence: Air	Bioaccumulation	Mobility
DMSO	HIGH	HIGH	LOW (BCF = 0.4)	LOW (KOC = 4.411)
Flumethasone	HIGH	HIGH	LOW (LogKOW = 1.94)	LOW (KOC = 158.7)

## Section 13: DISPOSAL INFORMATION

**Product Disposal:** Dispose of product only by using according to label or at an approved landfill.

**Container Disposal:** Dispose of empty container by wrapping with paper and putting in garbage.

## Section 14: TRANSPORT INFORMATION

**Dangerous Goods Classification:** Not considered a Dangerous Good for land, sea and air transport.

## Section 15: REGULATORY INFORMATION

**Poison Schedule (SUSMP):** S4

**APVMA No.:** 36072

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

**Section 16: OTHER INFORMATION**

This information is based on data believed by Jurox Pty Limited to be accurate at the time of writing but is subject to change without notice. It is given in good faith, but no warranty expressed or implied is made as to its accuracy, completeness otherwise and no assumption of liability from howsoever arising is made by Jurox Pty Limited by reason of the provision of this information. Every person dealing with the materials referred to herein does so at his/her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.

**Legend:**

<b>AICS</b>	Australian Inventory of Chemical Substances.
<b>BCF</b>	Bioconcentration factor. The ratio of the concentration of a substance in an aquatic organism to the concentration of the substance in the surrounding water.
<b>CAS No.</b>	Chemical Abstracts Service Registry Number.
<b>DMSO</b>	Dimethyl sulfoxide
<b>EC<sub>50</sub></b>	The median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction in 50% of organisms or a 50% reduction in growth or in the growth rate of organisms.
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals.
<b>Hazchem Code</b>	Emergency action code of numbers and letters that provide information to emergency services especially firefighters.
<b>KOC</b>	Soil-Water Partition Coefficient. The ratio of a chemical's concentration that is adsorbed in the soil to the concentration of chemical in solution.
<b>KOW</b>	Octanol Water Partition Coefficient. The ratio of a compound's concentration in a known volume of n-octanol to its concentration in a known volume of water after the octanol and water have reached equilibrium.
<b>LC<sub>50</sub></b>	The median lethal concentration, being a statistically derived concentration of a substance that can be expected to cause death in 50% of animals.
<b>LD<sub>50</sub></b>	The median lethal dose, being a statistically derived single dose of a substance that can be expected to cause death in 50% of animals.
<b>NICNAS</b>	National Industrial Chemicals Notification and Assessment Scheme.
<b>NOEC</b>	No-observable-effect-concentration.
<b>PPE</b>	Personal Protective Equipment.
<b>PVC</b>	Polyvinyl chloride.
<b>SDS</b>	Safety Data Sheet.
<b>STOT</b>	Specific Target Organ Toxicity.
<b>SUSMP</b>	Standard for the Uniform Scheduling of Medicines and Poisons.
<b>SWA</b>	Safe Work Australia.
<b>TEELs</b>	Temporary Emergency Exposure Limits. Guidelines designed to predict the response of members of the general public to different concentrations of a chemical during an emergency response incident.
<b>TEEL-1</b>	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience notable discomfort, irritation, or certain asymptomatic, nonsensory effects. However, these effects are not disabling and are transient and reversible upon cessation of exposure.
<b>TEEL-2</b>	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience irreversible or other serious, long-lasting, adverse health effects or an impaired ability to escape.
<b>TEEL-3</b>	The airborne concentration of a substance above which it is predicted that the general population, including susceptible individuals, could experience life-threatening adverse health effects or death.

**References:**

ChemID Plus

EPA New Zealand Chemical Classification and Information Database (CCID)

HSDB (Hazardous Substances Data Bank)

**This version issued:** 28 July 2016 and is valid for 5 years from this date.

**Supersedes:** This SDS supersedes the version issued on 27 March 2012.

**Revision History:**

Date of Revision	Reason
28 July 2016	Classification of substance to GHS classification and update of SDS to comply with SWA Code of Practice.

**END OF SDS**